




HUVCO, L.L.C.

DAYLIGHTING SOLUTIONS®

PHONE: 800-832-6116 – FAX: 301-432-7185 – WWW.HUVCO.COM

Spec sheet for 10" 13" & 18" Skylights
on pitched roof's w/ composite shingles




Model	Dimensions			
	A	B	C	D
10" Model	11"	4"	4"	10"
13" Model	14"	5"	4"	13"
18" Model	19"	7"	4"	18"

Roof Hole Size		
10" Model	13" Model	18" Model
14" Dia.	18" Dia.	22" Dia.

Ceiling Hole Size		
10" Model	13" Model	18" Model
10 3/8" Dia.	13 3/8" Dia.	18 3/8" Dia.

PITCHED ROOF DOMED SKYLIGHT
SCALE: 1 1/2" = 1'-0"




HUVCO, L.L.C.

DAYLIGHTING SOLUTIONS®

PHONE: 800-832-6116 – FAX: 301-432-7185 – WWW.HUVCO.COM

Spec sheet for 21" & 24" Skylights on commercial blds. w/ flat roofs, no ceiling



Model	Specifications			
	Covers	Tube Size	Framing	Roof cut
21" Flat	500 sq.ft.	21" dia.	24" o.c.	22"
24" Flat	600 sq.ft.	24" dia.	32" o.c.	25"

Model	Material Thickness			
	Dome	Flashing	Trim Ring	Diffuser
21"	.177"	.080"	.063"	.125"
24"	.236"	.100"	.080"	.125"

○ FLAT ROOF DOMED SKYLIGHT
SCALE: 1 1/2" = 1'-0"




HUVCO, L.L.C.

DAYLIGHTING SOLUTIONS®

PHONE: 800-832-6116 – FAX: 301-432-7185 – WWW.HUVCO.COM

Spec sheet for 24" Skylights on flat roof's for commercial bldg..



FLAT ROOF DOMED SKYLIGHT
SCALE: 1 1/2" = 1'-0"